



**REALIZE THE INTELLIGENTIZATION
OF ENTERPRISE PACKAGING**

SINCE 1997



Empowering enterprises to intelligitize packaging.
Reduce costs and increase efficiency



493 Main Street East Units 1-9
Milton, ON Canada L9T 3J2
1 (844) 876 8889
sales@conovey.com

SINCE 1997

Empowering enterprises to intelligitize packaging.
Reduce costs and increase efficiency

INTERNATIONAL BRAND OF INTELLIGENT PACKAGING EQUIPMENT

Top 10 in China packing machinery industries
Already Provide Packing Solutions for more than 50000 Companies

SINCE 1997



Company Introduction



Huizhou Gurki Intelligent Equipment Co.,Ltd was founded in 1997, located in Shenzhen south China. GURKI PACK is a high-tech enterprise specializing in the development and manufacturing of automatic packaging machinery. Main products include carton sealer ,carton erector, shrink wrapping machine, tray former,bag insert machine, bag ducuffer sealer , auto bagger, customized packing line and other equipments, It provides automatic and intelligent packaging solutions to more than 50,000 enterprises!

Huizhou Gurki Intelligent Equipment Co.,Ltd headquarters has built a 120000 square meter production and R&D base in Huizhou, established a professional R&D team, and has been a national high-tech enterprise for 12 years. We have 88 patents and CE certification

For a long time, GURKI has actively arranged to enter the overseas market, and our packaging equipment and solutions have service enterprises in more than 100 countries around the world. It has been widely appreciated and recognized by foreign customers, and we have own international sales service system. In the future, GURKI will continue to build an overseas sales service and promote China's intelligent products to the world, and contribute GURKI's strength to the development of enterprise intelligence

With 26 years of production experience, GURKI integrates supply chain resources, combines industry characteristics, cooperates deeply across industries, drives technological innovation, helps the industry realize packaging automation and intelligence, promotes industrial optimization and upgrading,and contributes to provide new impetus for industry development.



Cumulatively Served

50000+



Production Base

120000



11 years high-tech enterprise
88 high-tech patented technologies



26 years of production experience
Tens of millions of stocks




Dozens of scientific research teams with senior engineers
Support the packing line integration customization



12 permanent service outlets across the country
7* 24hours after-sales service

GURKI DEVELOPMENT HISTORY



in the future

GURKI will keep the original intention
Committed to intelligent packaging solutions



GPK-40E Introduction

GPK-40E is a new generation of independent production and design products. According to market demand, the new version has installed a protective door in the tape replacement area, and the tape can be replaced after opening the door, which is more convenient and worry-free; the machine adopts strict production process flow, vertical erecting speed reaches upto 12 boxes/min, absorbs and forms the cartons, and is equipped with an automatic alarm function for broken tape and no tape. This carton erector machine has been widely used in industries like food, medicine, beverage, tobacco, daily chemical, electronics, etc.

Auto carton erector / GPK-40E

| | | | |
|---------------------|---------------------|------------------------|------------------------------|
| Power | 240W | Carton Size | L25-45cm, W15-40cm, H10-40cm |
| Speed | 8-12 carton/min | Air consumption | 450NL/min |
| Power Supply | 220V 50/60Hz 1Phase | Machine Size | L210cm, W210cm, H145cm |



E-commerce carton erector / GPK-30H15

| | |
|---------------------|----------------------------|
| Power | 240W |
| Speed | 10-15 carton/min |
| Power Supply | 220V 50/60Hz 1 Phase |
| Carton Size | L13-32cm, W8-20cm, H9-20cm |
| Machine Size | L180cm, W180cm, H135cm |



High speed E-commerce carton erector / GPK-30H20

| | |
|---------------------|----------------------------|
| Power | 1KW |
| Speed | 15-20 carton/min |
| Power Supply | 220V 50Hz 1Phase |
| Carton Size | L13-28cm, W8-20cm, H9-20cm |
| Machine Size | L168cm, W121cm, H126cm |



Auto carton erector / GPK-40H18E

| | |
|---------------------|------------------------------|
| Power | 240W |
| Speed | 15-18 carton/min |
| Power Supply | 220V 50/60Hz 1 Phase |
| Carton Size | L20-46cm, W15-40cm, H10-40cm |
| Machine Size | L245cm, W210cm, H145cm |



Auto carton erector / GPK-50E

| | |
|---------------------|------------------------------|
| Power | 240W |
| Speed | 8-12 carton/min |
| Power Supply | 220V 50/60Hz 1 Phase |
| Carton Size | L32-65cm, W20-50cm, H15-50cm |
| Machine Size | L235cm, W210cm, H165cm |



Auto carton erector / GPK-60

| | |
|---------------------|------------------------------|
| Power | 240W |
| Speed | 4-6 carton/min |
| Power Supply | 220V 50Hz 1Phase |
| Carton Size | L35-80cm, W25-60cm, H25-60cm |
| Machine Size | L285cm, W255cm, H190cm |



High speed carton erector / GPK-40H30I

| | |
|--------------|------------------------------|
| Power | 1KW |
| Speed | 20-30 carton/min |
| Power Supply | 220V 50Hz 1Phase |
| Carton Size | L24-51cm, W19-40cm, H12-40cm |
| Machine Size | L216cm, W145cm, H167cm |



GPC-50D Introduction

Driven by belts on both sides, it is sealed with adhesive tape, and the up and down sealing is fast and stable, and the sealing effect is smooth, standardized and beautiful. The width and height can be manually adjusted according to the carton specifications, which is simple and convenient. This box sealing machine is widely used in industries like food, medicine, toys, tobacco, daily chemical, electronics ,etc

Auto flaps fold carton sealer / GPC-50D

| | | | |
|--------------|---------------------|-----------------|------------------------------|
| Power | 400W | Carton Size | L20-60cm, W15-50cm, H15-50cm |
| Speed | 18m/min | Machine Size | L177cm, W85cm, H152cm |
| Power Supply | 220V 50/60Hz 1Phase | Air consumption | 50NL/min |



High speed carton erector / GPK-40H50

| | |
|--------------|------------------------------|
| Power | 1KW |
| Speed | 40-50 carton/min |
| Power Supply | 220V 50Hz 1Phase |
| Carton Size | L25-45cm, W15-40cm, H19-30cm |
| Machine Size | L291cm, W145cm, H187.3cm |



Big carton high speed carton erector / GPK-50H20

| | |
|--------------|------------------------------|
| Power | 1KW |
| Speed | 15-20 carton/min |
| Power Supply | 220V 50Hz 1Phase |
| Carton Size | L32-60cm, W20-50cm, H20-50cm |
| Machine Size | L323.5cm, W165cm, H221cm |



Side belts driving carton sealer / GPA-50E

| | |
|--------------|--|
| Power | 240W |
| Speed | 18m/min |
| Power Supply | 220V 50/60Hz 1Phase |
| Carton Size | L15cm-∞, W15-50cm, H12-50cm |
| Machine Size | L85cm, W85cm, H135cm (infeed and outfeed hanging conveyor not included) |

| Name | Model | Speed | Power | Carton size | Machine size |
|----------------------|------------|------------------|--------|------------------------------|------------------------|
| Servo carton erector | GPK-40SV | 8-12 carton/min | 2.05KW | L25-45cm, W15-40cm, H10-40cm | L215cm, W215cm, H175cm |
| Servo carton erector | GPK-43H25E | 25-30 carton/min | 1.5KW | L20-40cm, W12-30cm, H10-30cm | L230cm, W200cm, H145cm |



Side and top belts driving carton sealer / GPA-50P

| | |
|--------------|---|
| Power | 360W |
| Speed | 18m/min |
| Power Supply | 220V 50/60Hz 1Phase |
| Carton Size | L15cm-∞, W25-50cm, H15cm-50cm |
| Machine Size | L102cm, W90cm, H135cm (infeed and outfeed hanging conveyor not included) |




Up and down belts driving carton sealer / GPB-56

| | |
|--------------|---|
| Power | 240W |
| Speed | 18m/min |
| Power Supply | 220V 50/60Hz 1Phase |
| Carton Size | L15cm-∞, W25-50cm, H15-60cm |
| Machine Size | L102cm, W85cm, H135cm (infeed and outfeed hanging conveyor not included) |




Fully auto carton sealer / GPE-50

| | |
|--------------|---|
| Power | 240W |
| Speed | 18m/min |
| Power Supply | 220V 50/60Hz 1Phase |
| Carton Size | L15cm-∞, W15-50cm, H14-50cm |
| Machine Size | L125cm, W90cm, H135cm (infeed and outfeed hanging conveyor not included) |



Auto H type carton sealer / GPC-50+GPG-755E

| | |
|--------------|------------------------------|
| Power | 1.42KW |
| Speed | 6-8 carton/min |
| Power Supply | 220V 50/60Hz 1Phase |
| Carton Size | L32-60cm, W20-50cm, H18-50cm |
| Machine Size | L320cm, W190cm, H152cm |



Fully auto H type carton sealer / GPI-50+GPH-50

| | |
|--------------|------------------------------|
| Power | 1.5KW |
| Speed | 6 carton/min |
| Power Supply | 220V 50/60Hz 1Phase |
| Carton Size | L32-60cm, W20-50cm, H18-50cm |
| Machine Size | L320cm, W210cm, H158cm |



Servo H type carton sealer / GPI-50SV+GPH-50SV

| | |
|--------------|------------------------------|
| Power | 1.5KW |
| Speed | 8 carton/min |
| Power Supply | 220V 50Hz 1Phase |
| Carton Size | L32-60cm, W20-50cm, H18-50cm |
| Machine Size | L320cm, W210cm, H158cm |



Combo carton seal and strap machine / GPP-50A

| | |
|--------------|------------------------------|
| Power | 1.25KW |
| Speed | 6 carton/min |
| Power Supply | 380V 50Hz 3Phase |
| Carton Size | L20-60cm, W15-50cm, H15-50cm |
| Machine Size | L170cm, W142cm, H155cm |



Combo flaps fold carton sealer & strapper / GPP-50C

| | |
|--------------|------------------------------|
| Power | 1.5KW |
| Speed | 6 carton/min |
| Power Supply | 380V 50Hz 3Phase |
| Carton Size | L20-60cm, W15-50cm, H15-50cm |
| Machine Size | L246cm, W142cm, H165cm |

| Name | Model | Speed | Power | Carton size | Machine size |
|-------------------------------------|------------------|----------------|--------|---------------------------------------|------------------------|
| E-commerce carton sealer | GPA-30 | 22m/min | 240W | L13-unlimited cm, W8-30cm, H9-40cm | L71cm, W60cm, H87cm |
| Aircraft carton sealer | GPA-30F | 22m/min | 240W | L13cm-∞, W8-40cm, H4-40cm/H<4.5, W≥14 | L98cm, W73.5cm, H87cm |
| E-commerce flaps fold carton sealer | GPC-30L | 18m/min | 240W | L13-28cm, W8-20cm, H9-20cm | L157cm, W78cm, H125cm |
| Semi auto H type carton sealer | GPA-50E+GPG-755E | 6-8 carton/min | 1.24KW | L32-70cm, W20-50cm, H18-50cm | L240cm, W190cm, H152cm |
| Fully auto H type carton sealer | GPE-50+GPH-50 | 6 carton/min | 1.24KW | L32-60cm, W20-50cm, H18-50cm | L260cm, W210cm, H158cm |



GPI-5545DI+GPS-5030LW Introduction

The fully automatic vertical up and down sealing machine is a high-speed film wrapping machine, designed for the refined production of cosmetic packing. The equipment is easier to operate, soft in action, and has a good user experience. Mainly for tall and thin products, it can automatically complete the steps of feeding, film wrapping, sealing and cutting, etc., to ensure that the sealing line is in the middle position, automatic film blowing, and the sealing line is thin, suitable for POF film and crosslink pof film. There is no need manual operation, the packaging speed is 15-40 pieces per minute, and the work efficiency is high. This machine is also suitable for industries like printing, color box, medicine, daily chemical, auto parts, food, etc

Auto vertical L sealer shrink machine / GPI-5545DI+GPS-5030LW

| | | | |
|-----------------------------|------------------------------------|-------------------------|----------------------------|
| Speed | Max 40 pcs/min | Machine size | L178.5cm, W142cm, H134cm |
| Pack size | W+H<38cm, L+H<45cm, H<18cm, L≥10cm | GPS-5030LW Power | 16KW |
| GPL-5545DI Power | 3KW | Tunnel size | L150cm, W50cm, H30cm |
| Film material / size | POF film / Max Φ35, W55cm | Machine size | L185cm, W109.5cm, H132.5cm |

Auto L sealer shrink machine / GPL-4535I+GPS-4525

| | |
|-----------------------------|------------------------------------|
| Speed | Max 25 pcs/min |
| Pack size | W+H≤38cm, H+L≤48cm, H<10cm, L≥10cm |
| GPL-4535I Power | 2.5KW |
| Film material / size | POF film / Φ30cm, W55cm |
| Machine Size | L174cm, W126.5cm, H131cm |
| GPS-4525 Power | 10KW |
| Machine Size | L132cm, W77.5cm, H152cm |



Auto side sealer shrink machine / GPL-5545CI+GPS-5030LW

| | |
|-----------------------------|----------------------------|
| Speed | Max 35 pcs/min |
| Pack size | W+H≤40cm, H≤15cm, L≥10cm |
| GPL-5545CI Power | 2.5KW |
| Film material / size | POF film / Φ30*W55cm |
| Machine Size | L172cm, W141.5cm, H132cm |
| GPS-5030LW Power | 16KW |
| Machine Size | L185cm, W109.5cm, H132.5cm |

High speed vertical L sealer shrink machine / GPL-5545DH+GPS-5030LLW

| | |
|-----------------------------|------------------------------------|
| Speed | Max 60 pcs/min |
| Pack size | W+H≤38cm, L+H<45cm, H≤18cm, L≥10cm |
| GPL-5545DH Power | 3.5KW |
| Film material / size | POF film / Φ35*W55cm |
| Machine Size | L178.5cm, W142cm, H134cm |
| GPS-5030LLW Power | 20KW |
| Machine Size | L235cm, W109.5cm, H132.5cm |



Auto high speed side sealer shrink machine / GPL-5545H+GPS-5030LLW

| | |
|-----------------------------|----------------------------|
| Speed | Max 60 pcs/min |
| Pack size | W+H≤45cm, H≤20cm, L>10cm |
| GPL-5545H Power | 3.5KW |
| Film material / size | POF film / Φ35*W63cm |
| Machine Size | L208cm, W164cm, H138cm |
| GPS-5030LLW Power | 20KW |
| Machine Size | L235cm, W109.5cm, H132.5cm |





Auto web sealer shrink machine / GPL-6030AH+GPS-6040M

| | |
|----------------------|---|
| Speed | Max 8-15 pack/min |
| Pack size | W+H<65cm, H<35cm |
| GPL-6030AH Power | 2.5KW |
| Film material / size | Single wound PE film / max Φ33cm, W65cm |
| Machine Size | L267.5cm, W135cm, H200cm |
| GPS-6040M Power | 20KW |
| Machine Size | L273cm, W98cm, H171cm |



Auto web sealer shrink machine / GPL-6030+GPS-6040

| | |
|----------------------|---|
| Speed | Max 10-15 pack/min |
| Pack size | W+H<65cm, H<35cm |
| GPL-6030 Power | 2.5KW |
| Film material / size | Single wound PE film / max Φ33cm, W65cm |
| Machine Size | L267.5cm, W140cm, H200cm |
| GPS-6040 Power | 20KW |
| Machine Size | L273cm, W98cm, H171cm |



Direct feed web sealer shrink machine / GPL-6030Z+GPS-6040

| | |
|----------------------|---|
| Speed | Max 15-20 pack/min |
| Pack size | W+H<65cm, H<35cm |
| GPL-6030Z Power | 2.5KW |
| Film material / size | Single wound PE film / max Φ33cm, W65cm |
| Machine Size | L172cm, W114cm, H200cm |
| GPS-6040 Power | 20KW |
| Machine Size | L273cm, W98cm, H171cm |



Vertical auto bagger/GS60D

| | | | |
|--------------|-------------------------|---------------------|---|
| Power | 1.5KW | Bag material / size | PE rolling bag / T0.04-0.08mm Width:8-55cm, Length:24-70cm |
| Speed | 1200 bag/hour | Label size | W4-10.5cm, L4-18cm |
| Power Supply | AC220V, 50/60Hz 1 phase | Machine size | L168cm, W85cm, H142cm |

Vertical auto bagger Introduction

This product is customized for e-commerce customers, providing integrated solutions such as scanning codes for goods, packaging plastic bags, automatically sealing plastic bags, automatically printing express sheet, automatically pasting express sheets, and automatic delivery of goods. At the same time, according to customer needs, it can automatically connect e-commerce orders with enterprise ERP or WMS systems, and provide customers with an overall solution for plastic bag packaging and delivery of goods.



Horizontal high speed auto bagger / GL70C

| | |
|----------------------|---|
| Power | 3.5KW |
| Speed | 1500 bag/hour |
| Power Supply | AC220V, 50/60Hz 1 phase |
| Film material / size | PE center fold film / T0.04-0.08mm, max Φ40cm, W45-70cm, bag width >20cm |
| Pack size | L15-45cm, W10-40cm, H0.7-15cm & W+H<50cm |
| Label size | W7-10cm, L7-18cm |
| Machine size | L217cm, W168cm, H165cm |



Bubble bag auto bagger / GPD40B

| | |
|---------------------|--|
| Power | 2.0KW |
| Speed | 900 bag/hour |
| Power supply | AC220V, 50/60Hz 1 phase |
| Bag material / size | Bubble film rolling bag / W17-45cm, bag L20-50cm |
| Label size | Max W10.4cm, L5-18cm |
| Machine size | L220cm, W140cm, H250cm |



Tray erector Introduction

The automatic tray erector is independently produced and designed according to market demand. It adopts pneumatic control and automatically folds the cover through the mold. adopt self-lock type tray , so that the tray is formed without adhesive tape or hot melt adhesive. The shape of the tray is convenient for manual direct loading of products, thus eliminating the need for manual opening of the tray. The equipment is easy to operate, easy to adjust, stable and durable. Widely used in industries like electrical toys, food, clothing, automotive supplies, electronics,etc

Tray erector / GPZH-50


| | | | |
|---------------------|---------------|------------------------|---|
| Power | 1KW | Tray size | L30-60cm, W20-45cm, H6-12cm& W+2H<58cm, L+4H<98cm |
| Speed | 8-10 tray/min | Air consumption | 400NL/mm |
| Power Supply | 380V, 3 phase | Machine Size | L270cm, W160cm, H165cm |



Bag insert machine / GPTD40

| | |
|-----------------------------|---|
| Power | 4KW |
| Speed | 8-10 carton/min |
| Power supply | 380V, 3 phase |
| Carton size | L30-60cm, W20-40cm, H15-40cm |
| Film material / size | M type pre-rolling bag / T0.05-0.08mm,max Φ35cm |
| Machine size | L230cm, W190cm, H190cm |

AUTO PACKING LINE SYSTEM



Follow us to learn more

| Name | Model | Speed | Power | Carton size | Machine size |
|---------------------------------|------------|-----------------|-------|---------------------------------------|--------------------------|
| Bag decuffer sealer | GPTDF40 | 4-5 carton/min | 6KW | L30-60cm, W25-40cm, H25-40cm | L220cm, W140cm, H250cm |
| Bottom self-lock carton erector | GPKD25H10D | 8-10 carton/min | 200W | L30-40cm, W10-15cm/ W15-20cm,H20-30cm | L185cm, W125cm, H186.5cm |

Depend on 26 years of R&D, and service experience, and combine with customer needs, GURKI can provide automatic packaging solutions for the whole line. Include shrink wrapping machine, carton erector, bag insert machine carton packer, bag decuffer sealer ,carton sealer, auto labeling machine, check weigher, strapping machine, auto palletizer, pallet wrapper, sorting system, conveyor system, etc.

CE CERTIFICATION

Huizhou Gurki Intelligent Equipment Co.,Ltd headquarters has built a 120000 square meter production and R&D base in Huizhou, established a professional R&D team, and has been a national high-tech enterprise for 12 years. We have 88 patents and CE certification



Carton erector



Carton sealer



Auto bagger



Film sealer



Shrink tunnel



Tray former

SOME PARTNERS

For a long time, GURKI has actively arranged to enter the overseas market, and our packaging equipment and solutions have service enterprises in more than 100 countries around the world. It has been widely appreciated and recognized by foreign customers, and we have own international sales service system. In the future, GURKI will continue to build an overseas sales service and promote China's intelligent products to the world, and contribute GURKI's strength to the development of enterprise intelligence



APPLICABLE INDUSTRY

Help all industries to realize the intelligentization of enterprise packaging



Daily necessities



Food



Electronics



Cosmetics



Beverages



Stationery



E-commerce



Logistics



Household appliances



Medicine



Medical equipment



Restaurant



Toy



Lighting



Printing



Auto parts




Hardware



Gift



Garments



Others

AFTER-SALE SERVICE

Professional after-sales service team

Have a professional after-sales service team
To provide you with timely technical support and after-sales service

Quickly Response

service hotline all year round
365*24 full-time service

FAQ Guidance

Documentation, videos, multimedia guides
Quickly solve common problems

Clients profile management

Our company has established a complete user management system (ERP), and established registration information for the model number of customer equipment to provide accurate information for future services

